



SWITCH CIRCUIT			MATERIAL AND FINISH AS BELOW						
WHEN CARD IS EJECTED	WHEN CARD IS INSERTED	A	Housing	LCP UL94V-0, Color:Black	E				
		B	Contact	Phosphor Bronze T=0.15, Contact Area: Gold Plated	F				
		C	Shell	Stainless Steel, Solder Tail:Gold Plated	G				
		D			H				



SPECIFICATION:

1. ELECTRICAL
 - 1.1 Current Rating: 0.5A
 - 1.2 Voltage Rating: 5VDC
 - 1.3 Contact Resistance: 100mΩ
 - 1.4 Insulation Resistance: 500MΩ
 - 1.5 Dielectric Withstanding Voltage: 250VAC for 1 minute
2. MECHANICAL
 - 2.1 Durability: 5000 Cycle
 - 2.2 Contact Normal Force : 0.2N~0.6N
3. ENVIRONMENTAL
 - 3.1 Operating temperature range: -40°C to +85°C
 - 3.2 Storage temperature range: -40°C to +85°C
4. SOLDER ABILITY
 - 4.1 Recommended IR Reflow Temperature: 260°C



Vcc	RST	CLK	NA	GND	Vpp	I/O	NA				
C1	C2	C3	C4	C5	C6	C7	C8				

PIN ASSIGNMENT

115I-BEAA	Micro SIM Socket 8Pin SMD Type, 15u Gold Plating
PRODUCT NO.	DESCRIPTION


UNLESS OTHERWISE SPECIFIED TOLERANCE		
ANGLES	ANG.	±5°
LINEAR	0.	±0.3
	0.0	±0.25
	0.00	±0.20
SCALE	AS SHOWN	UNIT: mm
DRAWN	Willis	2012/08/03
CHECKED	Angel	2012/08/03
APPROVED	Ken	2012/08/03



www.attend.com.tw
 DRAWN NAME: Micro SIM Card Socket


Revise:											
Revise:											
Revise:											


REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE	SIZE	REV.	FILE NAME
1						A4	1.0	115I-BEAA_B_2



PACKAGING SPECIFICATION:

- 1. MATERIAL**
 - 1.1 Embossed Carrier Tape: Plastic**
 - 1.2 Top Cover Tape: PET**
 - 1.3 Taping Reel: PS**
- 2. PACKING**
 - 2.1 Quantity:**
 - 1000 Piece/Reel**
 - 10 Reel/Carton**
 - 10000 Piece/Carton**

						UNLESS OTHERWISE SPECIFIED TOLERANCE			 www.attend.com.tw	
						ANGLES	ANG.	±5°		
						LINEAR	0.	±0.3		
							0.00	±0.20		
						SCALE	AS SHOWN	UNIT: mm	DRAWN NAME: Micro SIM Card Socket PRODUCT NO. 115I-BEAA FILE NAME 115I-BEAA_D_2	
						DRAWN	Willis	2012/08/03		
						CHECKED	Angel	2012/08/03		
						APPROVED	Ken	2012/08/03		
REV.	DESCRIPTION		DATE	REV.	DESCRIPTION		DATE	 SIZE A4 REV. 1.0		
1				4				8	9	
2				5				10		



						UNLESS OTHERWISE SPECIFIED TOLERANCE			 www.attend.com.tw	
						ANGLES	ANG.	±5°		
						LINEAR	0.	±0.3		
							0.00	±0.25		
						SCALE	AS SHOWN	UNIT: mm	DRAWN NAME: Micro SIM Card Socket	
						DRAWN	Willis	2012/08/03	PRODUCT NO. 115I-BEAA	
						CHECKED	Angel	2012/08/03	FILE NAME 115I-BEAA_D_2	
						APPROVED	Ken	2012/08/03		
REV.	DESCRIPTION		DATE	REV.	DESCRIPTION		DATE	SIZE A4	REV. 1.0	
1				4						

A

△

△

△

A

△

△

△