



Cixi Chenxu Electric Appliance Co.,Ltd

No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China
www.nbchenxu.com

Declaration of Conformity

On behalf of undersigned producer of the product:

Producer: Cixi Chenxu Electric Appliance Co.,Ltd

Address: No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China

We declare that following identified product:

Name of the product: Cord extension set

Identical by following:

NV03/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-03
NV03/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV03-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV03-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV04WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-04
NV04WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV04-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV04-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV05WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-05
NV05WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV05-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV05-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV06WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-06
NV06WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV06-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV06-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV03K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-03K
NV03K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV03K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV03K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV04K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-04K
NV04K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV04K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV04K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV05K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-05K
NV05K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV05K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV05K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV06K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-06K
NV06K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV06K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV06K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	

Trade Mark: PROSTO

Fits to the rules of the European Union:

2014/35/EU Directive of the European Parliament and of the Council about the national legislation regarding the Low Voltage Directive (LVD)

Reference number of applied standards:

EN 60884-1:2002+A1:2006

Number of Conformity according to the declaration (test report):

140500061SHA-001

Name and Adress of the issuing institution:

INTERTEK TESTING SERVICES Shanghai

Date of issue: Jun. 17, 2014

Location of technical documentation: No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China

Name and title:
Jason Shi
Sales Manager

慈溪市晨翔电器有限公司
CIXI CHENXU ELECTRIC APPLIANCE CO.,LTD
邵晓杰

06/12/2019

PREVOD:
„EC” Deklaracija o usaglašenosti

Proizvođač: **Cixi Chenxu Electric Appliance Co.,Ltd**

Adresa: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

Izjavljujemo da:

Produžni kablovi

NV03/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-03
NV03/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV03-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV03-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV04WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-04
NV04WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV04-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV04-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV05WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-05
NV05WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV05-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV05-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV06WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-06
NV06WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV06-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV06-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV03K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-03K
NV03K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV03K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV03K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV04K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-04K
NV04K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV04K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV04K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV05K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-05K
NV05K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV05K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV05K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV06K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-06K
NV06K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV06K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV06K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	

Robna marka: **PROSTO**

Da su gore navedeni proizvodi usaglašeni sa direktivame Evropske Unije:
2014/35/EU Direktiva za električne uređaje niskog napona . (LVD)

Referentni broj primenjenih standarda:

EN 60884-1:2002+A1:2006

Ostale reference i informacije:

Broj Deklaracije o usaglašenosti prema deklaraciji (Ispitni izveštaj): **365-12122016 / 140500061SHA-001**

Naziv i adresa ispitne laboratorije: **INTERTEK TESTING SERVICES Shanghai**

Datum izdavanja: **Jun. 17, 2014**

Lokacija tehničke dokumentacije: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

06.12.2019



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



POTVRDA O USAGLAŠENOSTI Broj: **P1119125700**
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: VIŠESTRUKA PRENOSNA PRIKLJUČNICA SA PRODUŽNIM SAVITLJIVIM KABLOM
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: PROSTO
Trademark:

Proizvodjač: CIXI CHENXU ELECTRIC APPLIANCE CO., LTD
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Izvešaj/sertifikat: 140500061SHA-001 od 17.6.2014
Test report/Certificate:

Izdat od: INTERTEK TESTING SERVICES Shanghai
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 25/2016).
On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 25/2016).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.
Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: **Važi do:**
Place and date: *Valid until:*
Niš, 16.12.2019. 15.12.2024.



Generalni direktor

Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.
Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, <http://www.kvalitet.co.rs>



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P1119125700**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: VIŠESTRUKA PRENOSNA PRIKLJUČNICA SA PRODUŽNIM SAVITLJIVIM KABLOM
Product:

Oznaka tipa/modela: NV03/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
Type: NV03/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV03-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3m;
NV03-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5m;
NV04WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV04WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV04-3WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3m;
NV04-5WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5m;
NV05WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV05WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV05-3WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3m;
NV05-5WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5m;
NV06WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV06WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV06-3WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3m;
NV06-5WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5m;
NV03K/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV03K/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV03K-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3m;
NV03K-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5m;
NV04K/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV04K/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV04K-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3m;
NV04K-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5m;
NV05K/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV05K/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV05K-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3m;
NV05K-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5m;
NV06K/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV06K/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV06K-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3m;
NV06K-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5m

Mesto i datum izdavanja:
Place and date:
Niš, 16.12.2019.

Važi do:
Valid until:
15.12.2024.



Generalni direktor

.....
Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Cixi Chenxu Electric Appliance Co.,Ltd

No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China
www.nbchenxu.com

Declaration of Conformity

On behalf of undersigned producer of the product:

Producer: **Cixi Chenxu Electric Appliance Co.,Ltd**

Address: No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China

We declare that following identified product:

Name of the product: **Cord extension set**

Identical by following:

NV03/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-03
NV03/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV03-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV03-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV04WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-04
NV04WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV04-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV04-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV05WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-05
NV05WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV05-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV05-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV06WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-06
NV06WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV06-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV06-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV03K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-03K
NV03K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV03K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV03K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV04K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-04K
NV04K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV04K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV04K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV05K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-05K
NV05K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV05K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV05K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV06K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-06K
NV06K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV06K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV06K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	

Trade Mark: **PROSTO**

Fits to the rules of the European Union:

2006/95/EC Directive of the European Parliament and of the Council about the national legislation regarding the Low Voltage Directive (LVD)

Reference number of applied standards:

EN 60884-1:2002+A1:2006

Number of Conformity according to the declaration (test report):

365-12122016 / 140500061SHA-001

Name and Address of the issuing institution:

INTERTEK TESTING SERVICES Shanghai

Date of issue: Jun. 17, 2014

Location of technical documentation: No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China

(Authorized person)

慈溪市晨翔电器有限公司
CIXI CHENXU ELECTRIC APPLIANCE CO.,LTD
邵腾杰

12/12/2016

PREVOD:
„EC” Deklaracija o usaglašenosti

Proizvođač: **Cixi Chenxu Electric Appliance Co.,Ltd**

Adresa: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

Izjavljujemo da:

Produžni kablovi

NV03/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-03
NV03/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV03-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV03-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV04WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-04
NV04WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV04-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV04-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV05WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-05
NV05WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV05-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV05-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV06WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-06
NV06WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV06-3WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV06-5WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV03K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-03K
NV03K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV03K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV03K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV04K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-04K
NV04K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV04K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV04K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV05K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-05K
NV05K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV05K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV05K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	
NV06K/WH-P	H05VV-F 3G1,0mm ² 1,5m	CX-DB-06K
NV06K/WH-P/1,5	H05VV-F 3G1,5mm ² 1,5m	
NV06K-3/WH-P/1,5	H05VV-F 3G1,5mm ² 3,0m	
NV06K-5/WH-P/1,5	H05VV-F 3G1,5mm ² 5,0m	

Robna marka: **PROSTO**

Da su gore navedeni proizvodi usaglašeni sa direktivame Evropske Unije:

2006/95/EC Direktiva za električne uređaje niskog napona . (LVD)

Referentni broj primenjenih standarda:

EN 60884-1:2002+A1:2006

Ostale reference i informacije:

Broj Deklaracije o usaglašenosti prema deklaraciji (Ispitni izveštaj): **365-12122016 / 140500061SHA-001**

Naziv i adresa ispitne laboratorije: **INTERTEK TESTING SERVICES Shanghai**

Datum izdavanja: **Jun. 17, 2014**

Lokacija tehničke dokumentacije: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

12.12.2016



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



POTVRDA O USAGLAŠENOSTI Broj: **P1116079800**
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: VIŠESTRUKA PRENOSNA PRIKLJUČNICA SA PRODUŽNIM SAVITLJIVIM KABLOM
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: PROSTO
Trademark:

Proizvođač: CIXI CHENXU ELECTRIC APPLIANCE CO., LTD
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Ispitni izveštaj: 140500061SHA-001 od 17.6.2014
Test report:

Izdat od: INTERTEK TESTING SERVICES Shanghai
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 13/2010).

On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 13/2010).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.

Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: Važi do:
Place and date: Valid until:
Niš, 14.12.2016. 13.12.2019.



Generalni direktor

Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P1116079800**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: **ELEMENTA D.O.O.**
Applicant: **24000 SUBOTICA**
JOVANA MIKIĆA 56

Proizvod: **VIŠESTRUKA PRENOSNA PRIKLJUČNICA SA PRODUŽNIM SAVITLJIVIM KABLOM**
Product:

Oznaka tipa/modela: NV03/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
Type: NV03/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV03-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3,m;
NV03-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5,m;
NV04WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV04WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV04-3WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3,m;
NV04-5WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5,m;
NV05WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV05WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV05-3WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3,m;
NV05-5WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5,m;
NV06WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV06WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV06-3WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3,m;
NV06-5WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5,m;
NV03K/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV03K/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV03K-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3,m;
NV03K-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5,m;
NV04K/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV04K/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV04K-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3,m;
NV04K-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5,m;
NV05K/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV05K/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV05K-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3,m;
NV05K-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5,m;
NV06K/WH-P sa provodnikom H05VV-F 3G1,0mm² 1,5m;
NV06K/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 1,5m;
NV06K-3/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 3,m;
NV06K-5/WH-P/1,5 sa provodnikom H05VV-F 3G1,5mm² 5,m

Mesto i datum izdavanja: **Važi do:**
Place and date: **Valid until:**
Niš, 14.12.2016. **13.12.2019.**



Generalni direktor

Vladimir Vukašinović, dipl.inž.